



## SolFab - Slicing Software

- Different from other slicing software on the market, SolFab caters specifically to the needs of the **dental industry**.
- Its **intuitive interface** helps you easily navigate the process of preparing your 3D design for the W2P printers.
- SolFab's advanced algorithm **recognizes** automatically **dental indications** - splints, surgical guides, prostheses, models, and more - based on input data.
- It positions and prepares the components with **print-ready supports**, streamlining your workflow like never before.



SolFab



# SolDesign - CAD Software

Dental

- One Software covering **all digital steps**, from the upload of scan data to the final digital prosthesis, ready for CAM production.
- Preset parameters guarantee a **fast and reliable production** with a 3D printer, including functional trays, bite registrations, pin-point registrations, try-in, denture base, and denture teeth.
- The **intuitive user interface** guides you through the entire digital production process.
- **Covered indications:** Full dentures of all angle classes, unimaxillary (single) dentures, overdenture via attachment and full immediate and interim dentures.



# W2P

## SolWash 2

- > High precision for medical device fabrication
- > Minimal microcracks, enhancing object quality
- > Flexible programs, matching materials and agents
- > Easily replaceable containers,
- > Rapid cleaning liquid changes



Cleaning Treatment Area	Components	Device Dimensions
210 x 195 x 95 mm	Automatic basket movement, liquid saturation level sensor, liquid level sensor and touch panel	455 x 365 x 425 mm

# W2P

## SolCure 2

- > Post-curing with 48 LEDs
- > 3 wavelengths (270nm, 380nm, and 400nm) and option to use inert gas
- > No preheating required
- > Intuitive touchscreen and cloud connectivity for easy material selection and treatment initiation
- > Personalized programs



Curing Treatment Area	LED Technology	Device Dimensions
250 x 250 x 165 mm	16 x 3 LEDS ( 270 nm - 380 nm - 400 nm) 48 LEDS in total	455 x 365 x 295 mm



# SolFlex 250 Ultra HD Dual



## Revolutionary Dual PowerVat®

-----

This innovation enables the creation of entire dental patient cases, including **upper and lower prostheses and teeth**, in a single print job, saving time and resources!


<b>Dimensions</b>	15.74 x 15.74 x 22.44 in 400 x 400 x 570 mm	<b>Weight</b>	~ 44 lbs ~ 20 Kg
<b>Print Volume (2x)</b>	2.44 x 5.04 x 5.12 in* 62 x 128 x 130 mm*	<b>Operating Temperature</b>	64 - 82 °F 18 - 28 °C
<b>Layer Thickness</b>	0.001 - 0.008 in 25 - 200 µm	<b>Power Requirements</b>	100 - 240 V 50/60Hz, 102 W
<b>Pixel Size</b>	0.002 in* 50 µm*	<b>Technology</b>	UV-LED DLP®, Wavelength: 385 nm, Moving DLP

\* Pixel size and print volume may vary

**W2P Engineering GmbH** | Hasnerstraße 123 | 1160 Vienna | Austria  
Web: way2production.at | Phone: +43 (0) 1 306 28 57 | E-Mail: office@way2production.at



# SolFlex 250 Ultra HD Dual



Moving DLP®  
Technology